

- 90 -

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: (US ONLY) S. COREY, J. ADAMS, C. PRINT, D.C.S.
HUANG, L. O'CONNOR, A. STRASSER, H. PUTHALAKATH,
L. O'REILLY
(OTHER THAN US) THE WALTER AND ELIZA HALL
INSTITUTE OF MEDICAL RESEARCH

(ii) TITLE OF INVENTION: NOVEL THERAPEUTIC MOLECULES

(iii) NUMBER OF SEQUENCES: 26

(iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: DAVIES COLLISON CAVE
- (B) STREET: 1 LITTLE COLLINS STREET
- (C) CITY: MELBOURNE
- (D) STATE: VICTORIA
- (E) COUNTRY: AUSTRALIA
- (F) ZIP: 3000

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:

- 91 -

- (A) APPLICATION NUMBER: PCT INTERNATIONAL
- (B) FILING DATE: 17 SEPTEMBER 1998

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: PO9263
- (B) FILING DATE: 17 SEPTEMBER 1997

PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: PO9373
- (B) FILING DATE: 24 SEPTEMBER 1997

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: HUGHES, DR E JOHN L
- (C) REFERENCE/DOCKET NUMBER: EJH/DK

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: +61 3 9254 2777
- (B) TELEFAX: +61 3 9254 2770
- (C) TELEX: AA 31787

- 92 -

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 333 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..333

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

```

ATG GCC AAG CAA CCT TCT GAT GTA AGT TCT GAG TGT GAC AGA GAA GGT
Met Ala Lys Gln Pro Ser Asp Val Ser Ser Glu Cys Asp Arg Glu Gly
   1           5           10          15

```

48

GGA CAA TTG CAG CCT GCT GAG AGG CCT CCC CAG CTC AGG CCT GGG GCC
 Gly Gln Leu Gln Pro Ala Glu Arg Pro Pro Gln Leu Arg Pro Gly Ala
 20 25 30

96

CCT ACC TCC CTA CAG ACA GAA CCG CAA GCT TCC ATA CGA CAG TCT CAG
 Pro Thr Ser Leu Gln Thr Glu Pro Gln Ala Ser Ile Arg Gln Ser Gln
 35 40 45

144

GAG GAA CCT GAA GAT CTG CGC CCG GAG ATA CGG ATT GCA CAG GAG CTG
Glu Glu Pro Glu Asp Leu Arg Pro Glu Ile Arg Ile Ala Gln Glu Leu
50 55 60

192

```

CGG CGG ATC GGA GAC GAG TTC AAC GAA ACT TAC ACA AGG AGG GTG TTT
Arg Arg Ile Gly Asp Glu Phe Asn Glu Thr Tyr Thr Arg Arg Val Phe
   65           70           75           80

```

240

GCA AAT GAT TAC CGC GAG GCT GAA GAC CAC CCT CAA ATG GTT ATC TTA
 Ala Asn Asp Tyr Arg Glu Ala Glu Asp His Pro Gln Met Val Ile Leu
85 90 95

288

CAA CTG TTA CGC TTT ATC TTC CGT CTG GTA TGG AGA AGG CAT TG
 Gln Leu Leu Arg Phe Ile Phe Arg Leu Val Trp Arg Arg His
 100 105 110

333

- 93 -

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 110 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met	Ala	Lys	Gln	Pro	Ser	Asp	Val	Ser	Ser	Glu	Cys	Asp	Arg	Glu	Gly
1				5				10					15		
Gly	Gln	Leu	Gln	Pro	Ala	Glu	Arg	Pro	Pro	Gln	Leu	Arg	Pro	Gly	Ala
		20				25				30					
Pro	Thr	Ser	Leu	Gln	Thr	Glu	Pro	Gln	Ala	Ser	Ile	Arg	Gln	Ser	Gln
			35			40			45						
Glu	Glu	Pro	Glu	Asp	Leu	Arg	Pro	Glu	Ile	Arg	Ile	Ala	Gln	Glu	Leu
	50				55				60						
Arg	Arg	Ile	Gly	Asp	Glu	Phe	Asn	Glu	Thr	Tyr	Thr	Arg	Arg	Val	Phe
	65				70			75				80			
Ala	Asn	Asp	Tyr	Arg	Glu	Ala	Glu	Asp	His	Pro	Gln	Met	Val	Ile	Leu
		85					90				95				
Gln	Leu	Leu	Arg	Phe	Ile	Phe	Arg	Leu	Val	Trp	Arg	Arg	His		
		100			105			110							

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 423 nucleotides
- (B) TYPE: nucleic acid

- 94 -

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..423

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ATG	GCC	AAG	CAA	CCT	TCT	GAT	GTA	AGT	TCT	GAG	TGT	GAC	AGA	GAA	GGT	48
Met	Ala	Lys	Gln	Pro	Ser	Asp	Val	Ser	Ser	Glu	Cys	Asp	Arg	Glu	Gly	
1				5				10					15			
GGA	CAA	TTG	CAG	CCT	GCT	GAG	AGG	CCT	CCC	CAG	CTC	AGG	CCT	GGG	GCC	96
Gly	Gln	Leu	Gln	Pro	Ala	Glu	Arg	Pro	Pro	Gln	Leu	Arg	Pro	Gly	Ala	
20				25									30			
CCT	ACC	TCC	CTA	CAG	ACA	GAA	CCG	CAA	GAC	AGG	AGC	CCG	GCA	CCC	ATG	144
Pro	Thr	Ser	Leu	Gln	Thr	Glu	Pro	Gln	Asp	Arg	Ser	Pro	Ala	Pro	Met	
35				40									45			
AGT	TGT	GAC	AAG	TCA	ACA	CAA	ACC	CCA	AGT	CCT	CCT	TGC	CAG	GCC	TTC	192
Ser	Cys	Asp	Lys	Ser	Thr	Gln	Thr	Pro	Ser	Pro	Pro	Cys	Gln	Ala	Phe	
50				55									60			
AAC	CAC	TAT	CTC	AGT	GCA	ATG	GCT	TCC	ATA	CGA	CAG	TCT	CAG	GAG	GAA	240
Asn	His	Tyr	Leu	Ser	Ala	Met	Ala	Ser	Ile	Arg	Gln	Ser	Gln	Glu	Glu	
65				70									75		80	
CCT	GAA	GAT	CTG	CGC	CCG	GAG	ATA	CGG	ATT	GCA	CAG	GAG	CTG	CGG	CGG	288
Pro	Glu	Asp	Leu	Arg	Pro	Glu	Ile	Arg	Ile	Ala	Gln	Glu	Leu	Arg	Arg	
85				90									95			
ATC	GGA	GAC	GAG	TTC	AAC	GAA	ACT	TAC	ACA	AGG	AGG	GTG	TTT	GCA	AAT	336
Ile	Gly	Asp	Glu	Phe	Asn	Glu	Thr	Tyr	Thr	Arg	Arg	Val	Phe	Ala	Asn	
100				105									110			
GAT	TAC	CGC	GAG	GCT	GAA	GAC	CAC	CCT	CAA	ATG	GTT	ATC	TTA	CAA	CTG	384
Asp	Tyr	Arg	Glu	Ala	Glu	Asp	His	Pro	Gln	Met	Val	Ile	Leu	Gln	Leu	
115				120									125			

- 95 -

TTA CGC TTT ATC TTC CGT CTG GTA TGG AGA AGG CAT TG
Leu Arg Phe Ile Phe Arg Leu Val Trp Arg Arg His
130 135 140

423

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 140 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Ala Lys Gln Pro Ser Asp Val Ser Ser Glu Cys Asp Arg Glu Gly
1 5 10 15

Gly Gln Leu Gln Pro Ala Glu Arg Pro Pro Gln Leu Arg Pro Gly Ala
20 25 30

Pro Thr Ser Leu Gln Thr Glu Pro Gln Asp Arg Ser Pro Ala Pro Met
35 40 45

Ser Cys Asp Lys Ser Thr Gln Thr Pro Ser Pro Pro Cys Gln Ala Phe
50 55 60

Asn His Tyr Leu Ser Ala Met Ala Ser Ile Arg Gln Ser Gln Glu Glu
65 70 75 80

Pro Glu Asp Leu Arg Pro Glu Ile Arg Ile Ala Gln Glu Leu Arg Arg
85 90 95

Ile Gly Asp Glu Phe Asn Glu Thr Tyr Thr Arg Arg Val Phe Ala Asn
100 105 110

Asp Tyr Arg Glu Ala Glu Asp His Pro Gln Met Val Ile Leu Gln Leu
115 120 125

Leu Arg Phe Ile Phe Arg Leu Val Trp Arg Arg His
130 135 140

- 96 -

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 591 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..591

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ATG	GCC	AAG	CAA	CCT	TCT	GAT	GTA	AGT	TCT	GAG	TGT	GAC	AGA	GAA	GGT	48
Met	Ala	Lys	Gln	Pro	Ser	Asp	Val	Ser	Ser	Glu	Cys	Asp	Arg	Glu	Gly	
1				5					10					15		
GGA	CAA	TTG	CAG	CCT	GCT	GAG	AGG	CCT	CCC	CAG	CTC	AGG	CCT	GGG	GCC	96
Gly	Gln	Leu	Gln	Pro	Ala	Glu	Arg	Pro	Pro	Gln	Leu	Arg	Pro	Gly	Ala	
20				25					30							
CCT	ACC	TCC	CTA	CAG	ACA	GAA	CCG	CAA	GGT	AAT	CCC	GAC	GGC	GAA	GGG	144
Pro	Thr	Ser	Leu	Gln	Thr	Glu	Pro	Gln	Gly	Asn	Pro	Asp	Gly	Glu	Gly	
35				40					45							
GAC	CGC	TGC	CCC	CAC	GGC	AGC	CCT	CAG	GGC	CCG	CTG	GCC	CCA	CCG	GCC	192
Asp	Arg	Cys	Pro	His	Gly	Ser	Pro	Gln	Gly	Pro	Leu	Ala	Pro	Pro	Ala	
50				55					60							
AGC	CCT	GGC	CCT	TTT	GCT	ACC	AGA	TCC	CCA	CTT	TTC	ATC	TTT	GTG	AGA	240
Ser	Pro	Gly	Pro	Phe	Ala	Thr	Arg	Ser	Pro	Leu	Phe	Ile	Phe	Val	Arg	
65				70					75				80			
AGA	TCT	TCT	CTG	CTG	TCC	CGG	TCC	AGT	GGG	TAT	TTC	TCT	TTT	GAC		288
Arg	Ser	Ser	Leu	Leu	Ser	Arg	Ser	Ser	Gly	Tyr	Phe	Ser	Phe	Asp		
85				90					95							
ACA	GAC	AGG	AGC	CCG	GCA	CCC	ATG	AGT	TGT	GAC	AAG	TCA	ACA	CAA	ACC	336
Thr	Asp	Arg	Ser	Pro	Ala	Pro	Met	Ser	Cys	Asp	Lys	Ser	Thr	Gln	Thr	

- 97 -

100	105	110	
CCA AGT CCT CCT TGC CAG GCC TTC AAC CAC TAT CTC AGT GCA ATG GCT			384
Pro Ser Pro Pro Cys Gln Ala Phe Asn His Tyr Leu Ser Ala Met Ala			
115	120	125	
TCC ATA CGA CAG TCT CAG GAG GAA CCT GAA GAT CTG CGC CCG GAG ATA			432
Ser Ile Arg Gln Ser Gln Glu Glu Pro Glu Asp Leu Arg Pro Glu Ile			
130	135	140	
CGG ATT GCA CAG GAG CTG CGG CGG ATC GGA GAC GAG TTC AAC GAA ACT			480
Arg Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Glu Thr			
145	150	155	160
TAC ACA AGG AGG GTG TTT GCA AAT GAT TAC CGC GAG GCT GAA GAC CAC			528
Tyr Thr Arg Arg Val Phe Ala Asn Asp Tyr Arg Glu Ala Glu Asp His			
165	170	175	
CCT CAA ATG GTT ATC TTA CAA CTG TTA CGC TTT ATC TTC CGT CTG GTA			576
Pro Gln Met Val Ile Leu Gln Leu Leu Arg Phe Ile Phe Arg Leu Val			
180	185	190	
TGG AGA AGG CAT TG			591
Trp Arg Arg His			
195			

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 196 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

- 98 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Ala Lys Gln Pro Ser Asp Val Ser Ser Glu Cys Asp Arg Glu Gly
1 5 10 15

Gly Gln Leu Gln Pro Ala Glu Arg Pro Pro Gln Leu Arg Pro Gly Ala
20 25 30

Pro Thr Ser Leu Gln Thr Glu Pro Gln Gly Asn Pro Asp Gly Glu Gly
35 40 45

Asp Arg Cys Pro His Gly Ser Pro Gln Gly Pro Leu Ala Pro Pro Ala
50 55 60

Ser Pro Gly Pro Phe Ala Thr Arg Ser Pro Leu Phe Ile Phe Val Arg
65 70 75 80

Arg Ser Ser Leu Leu Ser Arg Ser Ser Ser Gly Tyr Phe Ser Phe Asp
85 90 95

Thr Asp Arg Ser Pro Ala Pro Met Ser Cys Asp Lys Ser Thr Gln Thr
100 105 110

Pro Ser Pro Pro Cys Gln Ala Phe Asn His Tyr Leu Ser Ala Met Ala
115 120 125

Ser Ile Arg Gln Ser Gln Glu Glu Pro Glu Asp Leu Arg Pro Glu Ile
130 135 140

Arg Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn Glu Thr
145 150 155 160

Tyr Thr Arg Arg Val Phe Ala Asn Asp Tyr Arg Glu Ala Glu Asp His
165 170 175

Pro Gln Met Val Ile Leu Gln Leu Leu Arg Phe Ile Phe Arg Leu Val
180 185 190

Trp Arg Arg His
195

- 99 -

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 417 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..417

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

ATG GCA AAG CAA CCT TCT GAT GTA AGT TCT GAG TGT GAC CGA GAA GGT Met Ala Lys Gln Pro Ser Asp Val Ser Ser Glu Cys Asp Arg Glu Gly	48
1 5 10 15	
 AGA CAA TTG CAG CCT GCG GAG AGG CCT CCC CAG CTC AGA CCT GGG GCC Arg Gln Leu Gln Pro Ala Glu Arg Pro Pro Gln Leu Arg Pro Gly Ala	96
20 25 30	
 CCT ACC TCC CTA CAG ACA GAG CCA CAA GAC AGG AGC CCA GCA CCC ATG Pro Thr Ser Leu Gln Thr Glu Pro Gln Asp Arg Ser Pro Ala Pro Met	144
35 40 45	
 AGT TGT GAC AAA TCA ACA CAA ACC CCA AGT CCT CCT TGC CAG GCC TTC Ser Cys Asp Lys Ser Thr Gln Thr Pro Ser Pro Pro Cys Gln Ala Phe	192
50 55 60	
 AAC CAC TAT CTC AGT GCA ATG GCT TCC ATG AGG CAG GCT GAA CCT GCA Asn His Tyr Leu Ser Ala Met Ala Ser Met Arg Gln Ala Glu Pro Ala	240
65 70 75 80	
 GAT ATG CGC CCA GAG ATA TGG ATC GCC CAA GAG TTG CGG CGT ATC GGA Asp Met Arg Pro Glu Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly	288
85 90 95	
 GAC GAG TTT AAC GCT TAC TAT GCA AGG AGG GTA TTT TTG AAT AAT TAC Asp Glu Phe Asn Ala Tyr Tyr Ala Arg Arg Val Phe Leu Asn Asn Tyr	336
100 105 110	

- 100 -

CAA GCA GCC GAA GAC CAC CCA CGA ATG GTT ATC TTA CGA CTG TTA CGT	384	
Gln Ala Ala Glu Asp His Pro Arg Met Val Ile Leu Arg Leu Leu Arg		
115	120	125
TAC ATT GTC CGC CTG GTG TGG AGA ATG CAT TG	417	
Tyr Ile Val Arg Leu Val Trp Arg Met His		
130	135	

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 138 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Ala Lys Gln Pro Ser Asp Val Ser Ser Glu Cys Asp Arg Glu Gly			
1	5	10	15
Arg Gln Leu Gln Pro Ala Glu Arg Pro Pro Gln Leu Arg Pro Gly Ala			
20	25	30	
Pro Thr Ser Leu Gln Thr Glu Pro Gln Asp Arg Ser Pro Ala Pro Met			
35	40	45	
Ser Cys Asp Lys Ser Thr Gln Thr Pro Ser Pro Pro Cys Gln Ala Phe			
50	55	60	
Asn His Tyr Leu Ser Ala Met Ala Ser Met Arg Gln Ala Glu Pro Ala			
65	70	75	80
Asp Met Arg Pro Glu Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly			
85	90	95	
Asp Glu Phe Asn Ala Tyr Tyr Ala Arg Arg Val Phe Leu Asn Asn Tyr			
100	105	110	
Gln Ala Ala Glu Asp His Pro Arg Met Val Ile Leu Arg Leu Leu Arg			
115	120	125	

- 101 -

Tyr Ile Val Arg Leu Val Trp Arg Met His
130 135

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 597 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..597

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

```

ATG GCA AAG CAA CCT TCT GAT GTA AGT TCT GAG TGT GAC CGA GAA GGT      48
Met Ala Lys Gln Pro Ser Asp Val Ser Ser Glu Cys Asp Arg Glu Gly
   1           5           10          15

```

AGA CAA TTG CAG CCT GCG GAG AGG CCT CCC CAG CTC AGA CCT GGG GCC 96
 Arg Gln Leu Gln Pro Ala Glu Arg Pro Pro Gln Leu Arg Pro Gly Ala
 20 25 30

CCT ACC TCC CTA CAG ACA GAG CCA CAA GGT AAT CCT GAA GGC AAT CAC 144
 Pro Thr Ser Leu Gln Thr Glu Pro Gln Gly Asn Pro Glu Gly Asn His
 35 40 45

GGA GGT GAA GGG GAC AGC TGC CCC CAC GGC AGC CCT CAG GGC CCG CTG 192
 Gly Gly Glu Gly Asp Ser Cys Pro His Gly Ser Pro Gln Gly Pro Leu
 50 55 60

```

GCC CCA CCT GCC AGC CCT GGC CCT TTT GCT ACC AGA TCC CCG CTT TTC      240
Ala Pro Pro Ala Ser Pro Gly Pro Phe Ala Thr Arg Ser Pro Leu Phe
   65           70           75           80

```

ATC TTT ATG AGA AGA TCC TCC CTG CTG TCT CGA TCC TCC AGT GGG TAT 288
 Ile Phe Met Arg Arg Ser Ser Leu Leu Ser Arg Ser Ser Ser Gly Tyr
 85 90 95

- 102 -

TTC TCT TTT GAC ACA GAC AGG AGC CCA GCA CCC ATG AGT TGT GAC AAA	336
Phe Ser Phe Asp Thr Asp Arg Ser Pro Ala Pro Met Ser Cys Asp Lys	
100	105
	110
TCA ACA CAA ACC CCA AGT CCT CCT TGC CAG GCC TTC AAC CAC TAT CTC	384
Ser Thr Gln Thr Pro Ser Pro Pro Cys Gln Ala Phe Asn His Tyr Leu	
115	120
	125
AGT GCA ATG GCT TCC ATG AGG CAG GCT GAA CCT GCA GAT ATG CGC CCA	432
Ser Ala Met Ala Ser Met Arg Gln Ala Glu Pro Ala Asp Met Arg Pro	
130	135
	140
GAG ATA TGG ATC GCC CAA GAG TTG CGG CGT ATC GGA GAC GAG TTT AAC	480
Glu Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn	
145	150
	155
	160
GCT TAC TAT GCA AGG AGG GTA TTT TTG AAT AAT TAC CAA GCA GCC GAA	528
Ala Tyr Tyr Ala Arg Arg Val Phe Leu Asn Asn Tyr Gln Ala Ala Glu	
165	170
	175
GAC CAC CCA CGA ATG GTT ATC TTA CGA CTG TTA CGT TAC ATT GTC CGC	576
Asp His Pro Arg Met Val Ile Leu Arg Leu Leu Arg Tyr Ile Val Arg	
180	185
	190
CTG GTG TGG AGA ATG CAT TG	597
Leu Val Trp Arg Met His	
195	

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 198 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Met Ala Lys Gln Pro Ser Asp Val Ser Ser Glu Cys Asp Arg Glu Gly	
1	5
	10
	15

- 103 -

Arg Gln Leu Gln Pro Ala Glu Arg Pro Pro Gln Leu Arg Pro Gly Ala
20 25 30

Pro Thr Ser Leu Gln Thr Glu Pro Gln Gly Asn Pro Glu Gly Asn His
35 40 45

Gly Gly Glu Gly Asp Ser Cys Pro His Gly Ser Pro Gln Gly Pro Leu
50 55 60

Ala Pro Pro Ala Ser Pro Gly Pro Phe Ala Thr Arg Ser Pro Leu Phe
65 70 75 80

Ile Phe Met Arg Arg Ser Ser Leu Leu Ser Arg Ser Ser Ser Gly Tyr
85 90 95

Phe Ser Phe Asp Thr Asp Arg Ser Pro Ala Pro Met Ser Cys Asp Lys
100 105 110

Ser Thr Gln Thr Pro Ser Pro Pro Cys Gln Ala Phe Asn His Tyr Leu
115 120 125

Ser Ala Met Ala Ser Met Arg Gln Ala Glu Pro Ala Asp Met Arg Pro
130 135 140

Glu Ile Trp Ile Ala Gln Glu Leu Arg Arg Ile Gly Asp Glu Phe Asn
145 150 155 160

Ala Tyr Tyr Ala Arg Arg Val Phe Leu Asn Asn Tyr Gln Ala Ala Glu
165 170 175

Asp His Pro Arg Met Val Ile Leu Arg Leu Leu Arg Tyr Ile Val Arg
180 185 190

Leu Val Trp Arg Met His
195

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 8 amino acids
(B) TYPE: amino acid

- 104 -

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Asp Tyr Lys Asp Asp Asp Asp Lys
1 5

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 6 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Glu Tyr Met Pro Met Glu
1 5

- 105 -

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Leu Arg Arg Ile Gly Asp Glu
1 5

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

TGGGAGAAACA GGGTACATCG ATGCGGG

27

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

- 106 -

GTGAACTGGG AGCGGATTGT GG

22

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 28 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CACCTGCACA CCGCGATCCA GGATAACG

28

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

AGGATCCACC ATGGCCAAGC AACC

24

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 36 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

- 107 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

GTTCTAGATC AGCACATCTC TCTGGGATAG AACAC

36

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

GCAAGCTTCCT GTGCAATCCG TATCTCC

27

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

GGAAGCTTGC AACGAAACTT ACACAAGGTG

30

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

- 108 -

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

GCAAGCTTCC GGGCGCAGAT CTTC

24

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 28 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CAAAGCTTCC TGTGCAATCC GTATCTCC

28

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

GGAAGCTTG AACGAAACTT ACACAAGGTG

30

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

- 109 -

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

CAAAGCTTCC GGGCGCAGAT CTTC

23

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 28 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

TAAGTTCTGA GTGTGACAGA GAAGGTGG

28

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 28 nucleotides
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

CAGTTGTAAG ATAACCATTG GAGGGTGG

28